

D.2 R index

- ! operator, 182, 222
- !! operator, 222
- != operator, 222
- # operator, 223
- < operator, 221
- <- operator, 221
- <= operator, 222
- > operator, 221
- >= operator, 222
- %% operator, 36, 198, 222
- %>% operator, 21, 111, 228
- %in% operator, 16
- & operator, 140, 222
- &/& operator, 222
- * operator, 69, 222
- + operator, 222
- operator, 24, 222
- ... syntax, 126, 188
- / operator, 222
- : operator, 20, 46, 69
- :: operator, 225, 231
- = operator, 221
- == operator, 19, 163, 222
- ? operator, 216
- [operator, 221
- [[operator, 54, 222
- \$ operator, 223
- ^ operator, 36, 222
- 0 operator, 69

- abline(), 111, 132, 133, 140, 145, 146, 190, 198
- abs(), 35, 36, 57, 70, 160, 161
- acos(), 37
- actionButton(), 205
- addmargins(), 55
- addParagraph(), 152
- addPlot(), 152
- addsecondy(), 127, 134
- adj option, 147
- aes(), 77, 194, 195
- agrep(), 16
- AIC(), 102
- all.equal(), 38
- all.moments(), 52
- along, 142
- along option, 45
- alphafun(), 160

- and operator, 140, 222
- anova object, 72
- Anova(), 98
- anova(), 70, 77, 85, 91, 102, 113, 115
- antiD(), 38, 165
- any(), 140
- aov object, 226
- aov(), 70, 71, 85, 87
- apply(), 27, 28, 35, 162, 164, 167, 209, 227
- apropos(), 217
- Arima object, 102
- arima(), 98
- arithmetic operator, 222
- arrange(), 21, 31, 111, 198, 208
- arrows(), 148
- arxiv_count(), 202
- arxiv_search(), 202
- as.character(), 3, 13, 126
- as.data.frame(), 4, 224
- as.Date(), 3, 23, 24, 208
- as.factor(), 14, 64, 68, 70, 84, 108, 112–114, 133, 167, 168
- as.formula(), 67, 69, 83, 168
- as.matrix(), 224
- as.name(), 46
- as.numeric(), 3, 4, 15, 108, 111, 156, 191, 196
- as.party(), 119
- as.POSIXct(), 24
- as.POSIXlt(), 197
- asin(), 37
- assign(), 46, 221
- assignment operator, 221
- assocplot(), 131
- assocstats(), 56
- at option, 127, 143
- atan(), 37
- atan2(), 37
- attach(), 11, 215, 224
- attributes(), 12, 226
- auto.key option, 126
- auto.key option(), 77
- ave(), 167
- axes option, 128
- axis(), 127, 134, 151

- barchart(), 124, 126

- bargraph.CI(), 127
- barplot(), 123, 129, 135
- bartlett.test(), 57
- base option, 36
- basehaz(), 99
- BATCH, 216
- beta(), 37
- BIC(), 102
- biglm package, *see* library(biglm)
- biglm(), 67, 69
- binom.test(), 53
- binomial option, 104
- binomial(), 157
- bins option, 131
- bmp(), 153
- boot package, *see* library(boot)
- bootstrapPage(), 206
- box.dot option, 114
- box.umbrella option, 114
- boxplot(), 85, 125
- bptest(), 73
- breaks option, 13, 83
- browser(), 47
- browseURL(), 171
- BRugs package, *see* library(BRugs)
- bty option, 61, 150
- bug.report(), 236
- burnin option, 174
- bw option, 128
- bwplot(), 114, 125
- by option, 83, 140
- by(), 167
- byrow option, 39

- C(), 69
- c(), 17, 22, 30, 41, 48, 83, 99, 139, 140, 170, 208, 221
- calcna(), 99
- capture.output(), 2, 50, 180, 181
- car package, *see* library(car)
- cases(), 14, 28, 84
- cat(), 7, 18, 50, 168, 170
- cbind(), 22, 27, 28, 39, 54, 75, 98, 100, 101, 103, 117, 121, 164, 188, 224
- ceiling(), 37
- cex option, 128, 139, 146, 147, 150
- cex.axis option, 77
- cex.lab option, 77
- character(), 28
- chartr(), 17
- checkboxGroupInput(), 205
- checkboxInput(), 205
- chisq.test(), 55, 63
- choose(), 37
- choroplethr package, *see* library(choroplethr)
- choroplethr(), 205, 206
- chron package, *see* library(chron)
- ci.calc(), 48
- circular package, *see* library(circular)
- citation(), 215
- class(), 11, 48, 226
- clogit(), 91
- CMD
 - BATCH, 216
- coda package, *see* library(coda)
- coding, 13
- coef(), 67, 69–71, 73, 74, 80, 81, 83, 96, 116, 156, 168
- coefficients(), 109
- coefplot package, *see* library(coefplot)
- coin package, *see* library(coin)
- col option, 65, 83, 85, 114, 128, 139, 146, 148, 151
- col.mosaic(), 136
- colClasses option, 2
- colMeans(), 51, 55, 217
- colnames(), 168
- colorkey option, 143
- colors(), 151
- colors.matrix(), 151
- colors.plot(), 151
- colSums(), 51, 55
- combinations(), 37
- comment(), 12, 26
- comparison operators, 19, 222
- concomitant option, 186
- conf.int option, 88, 133
- conf.level option, 53
- confint(), 74, 78, 162, 165
- conflicts(), 11, 224, 231
- constrOptim(), 39
- contains(), 19
- content(), 201
- content_transformer(), 203
- contour(), 130
- contr.helmert(), 68
- contr.poly(), 68
- contr.SAS(), 68, 87
- contr.sum(), 68
- contr.treatment(), 68

- contrasts option, 68
- contrasts(), 68, 69, 87
- contributors(), 215
- convert.underscore option, 76
- cooks.distance(), 72
- coord_cartesian(), 77
- coord_map(), 130, 195
- coplot(), 129, 136
- cor(), 60, 61, 101, 121, 141, 158
- cor.test(), 54
- correct option, 63
- correlation option, 112
- corstr option, 115
- cos(), 37
- count.fields(), 5
- cov.unscaled, 75
- cov2cor(), 76
- cox.zph(), 98, 99
- coxph(), 98, 99, 117, 158
- cph(), 98
- cronbach(), 100, 117
- CrossTable(), 29, 55, 61
- cumprod(), 189
- cumsum(), 189
- curve(), 131, 161
- cut(), 13, 87, 103, 155, 156
- cut_number(), 13, 195
- cutoff option, 100, 118

- D(), 38
- dalap(), 33
- data option, 11
- data(), 236
- data.entry(), 7
- data.frame(), 3, 28, 31, 71, 82, 129, 168, 183, 187, 188, 197, 202, 209, 224
- DataframeSource(), 202
- dateInput(), 205
- dateRangeInput(), 205
- dbConnect(), 207
- dbeta(), 33
- dbetabin(), 33
- dbetabinom(), 33
- dbetanorm(), 33
- dbGetQuery(), 207
- dbinom(), 33, 188
- dcauchy(), 33
- dchisq(), 33
- debug(), 47
- demo(), 215
- colors, 151
- graphics, 123
- density(), 65, 125, 161
- densityfunction option, 53
- densityplot(), 124, 126
- deriv(), 38
- desc(), 22
- det(), 41
- detach(), 11, 83, 109, 115, 224
- dev.off(), 152, 153
- devtools package, *see* library(devtools)
- dexp(), 33
- df(), 33
- dffits(), 73
- dgamma(), 33
- dgeom(), 33
- dhyper(), 33
- diag(), 40, 41, 116
- diag.panel option, 141
- diff(), 127, 134, 188
- digits option, 7, 104, 187
- dim(), 20, 40
- dimnames(), 35
- dinv.gaussian(), 33
- directory structure, 1
- dispmod package, *see* library(dispmod)
- dist(), 101, 121
- distinct(), 20
- distribution option, 57, 64
- dlnorm(), 33
- dlogis(), 33
- dlply(), 169
- dnbinom(), 33
- dnorm(), 33, 42, 60, 83
- do(), 57
- doBy package, *see* library(doBy)
- DocumentTermMatrix(), 203
- dollarcents(), 7
- dotchart(), 124
- dotPlot(), 124
- download.file(), 6
- dplyr package, *see* library(dplyr)
- dpois(), 33
- draw.circle(), 148
- drop1(), 102
- ds(), 31
- dt(), 33, 42
- dunif(), 33
- duplicated(), 16, 20
- dweibull(), 33

- each option, 156
- ecdf(), 125
- echo option, 215
- edit(), 7, 12, 13
- eigen(), 41
- ellipse package, *see* library(ellipse)
- elrm package, *see* library(elrm)
- elrm(), 92
- else statement, 18, 45, 217
- end_with(), 19
- endian option, 5
- environment tab, 226
- epitab(), 53
- epitools package, *see* library(epitools)
- equality operator, 221
- estimable(), 70, 71
- eval(), 46
- exactRankTests package, *see* library(exactRankTests)
- example(), 123, 217
- exclude option, 55, 182
- exists(), 221
- exp(), 36, 156, 160, 161
- expand.grid(), 47, 209
- expand.table(), 53
- exponentiation operator, 36
- expression(), 42, 148
- extract operator, 54, 223
- extract_numeric(), 21

- factanal(), 100, 118
- factor(), 18, 30, 68, 76, 146
- factorial(), 37
- factorplot package, *see* library(factorplot)
- factorplot(), 87
- factors option, 100, 118
- FALSE, 16, 221
- family option, 91, 108, 115, 116, 147, 150, 156, 157
- family(), 97
- favstats(), 27, 51, 59, 163, 198
- file(), 2, 5
- file.access(), 50
- file.choose(), 1, 2, 50
- file.exists(), 50
- file.info(), 5, 50
- fileInput(), 205
- fill option, 204
- filled.contour(), 130
- filter(), 19, 27, 29, 31, 76, 82, 111, 193, 208, 228
- find(), 230
- findFreqTerms(), 203
- findvalue(), 209
- fisher.test(), 56, 63
- fit.contrast(), 88
- fitdistr(), 53
- fitted(), 81
- fix(), 7
- fixed option, 113
- fixef(), 96
- flexmix package, *see* library(flexmix)
- flexmix(), 186
- floor(), 18, 37, 209
- font option, 147
- for statement, 45, 83, 99, 161, 188, 191, 217
- foreach package, *see* library(foreach)
- foreign package, *see* library(foreign)
- format option, 197
- format(), 7
- formula(), 179, 226
- frailty(), 99
- freq option, 83, 124
- frequency option, 98
- from option, 140, 147, 161
- function(), 4, 7, 18, 35, 39, 48, 65, 103, 126, 127, 129, 134, 135, 139, 140, 142, 160–163, 188, 209
- functions
 - ..., 126
 - calling, 226
 - creating, 48
 - examples, 217

- gam package, *see* library(gam)
- gam(), 94, 109
- gamma(), 37
- gather(), 21, 111
- gdata package, *see* library(gdata)
- gee package, *see* library(gee)
- gee(), 97, 115
- gendist(), 188
- GenKern package, *see* library(GenKern)
- geom_path(), 130, 195
- geom_point(), 77, 194
- geom_polygon(), 130, 195
- GET(), 200
- get_map(), 193
- geterrmessage(), 47

- getUrl(), 6, 197
- getwd(), 49
- GGally package, *see* library(GGally)
- ggmap package, *see* library(ggmap)
- ggmap(), 194
- ggpairs(), 129, 142
- ggplot(), 77, 195
- ggplot2 package, *see* library(ggplot2)
- ggvis package, *see* library(ggvis)
- ggvis(), 204
- glm object, 72, 102
- glm(), 53, 91, 93, 104, 105, 156, 179, 184
 - family option, 91
 - link option, 91
- glm.binomial.disp(), 91
- glm.mids(), 185
- glm.nb(), 93, 107
- glmer(), 97, 116, 156, 157
- gls object, 102
- gls(), 112
- gmodels package, *see* library(gmodels)
- goodfit(), 103, 106
- gray.colors(), 128
- greater than operator, 221
- grep(), 16, 191, 196
- greport package, *see* library(greport)
- grid(), 148
- grid.lines(), 148
- grid.polyline(), 126
- grid.table(), 63
- grid.text(), 126
- gridExtra package, *see* library(gridExtra)
- group option, 146
- group_by(), 168, 208, 228
- groupedData(), 96, 170
- groups option(), 77
- gsub(), 17, 21, 111, 191, 196, 197
- gtools package, *see* library(gtools)

- h option, 145
- hatvalues(), 72
- hclust(), 101, 121
- head(), 12, 26, 27, 54, 197, 198
- height option, 149
- help option, 231
- help(), 215, 216
- help(.Random.seed), 34
- help(Control), 45
- help(Extract), 54
- help(influence.measures), 72
- help(list), 54
- help(plotmath), 148
- help(regex), 16
- help.search(), 217
- help.start(), 215, 217
- helpText(), 205
- hexbin package, *see* library(hexbin)
- hexbin(), 128
- hist(), 60, 83, 124, 129, 135, 139
- histogram(), 124
- history(), 49
- Hmisc package, *see* library(Hmisc)
- horizontal option, 125
- hosmerlem(), 103
- Hotelling package, *see* library(Hotelling)
- hotelling.stat(), 98
- hour(), 197
- htmlize(), 8
- httr package, *see* library(httr)
- hwriter package, *see* library(hwriter)

- i, 38
- I(), 70, 71
- iconv(), 17
- id option, 115
- idata option, 98
- identify(), 148
- idesign option, 98
- if statement, 18, 35, 45, 191, 217
- ifelse(), 45, 84, 136, 142, 156, 168
- Im(), 38
- image(), 128, 130
- in statement, 83, 217
- include(xtable), 80
- index operator, 54, 223
- influence.measures(), 72
- input_select(), 204
- input_slider(), 204
- inputPanel(), 205
- inspect(), 202
- install.packages(), 229, 230, 236
- install_from_swirl(), 217
- install_github(), 230
- integrate(), 38, 160
- interaction.plot(), 84, 130
- intersect(), 16
- interval option, 39, 132
- irr package, *see* library(irr)
- is.data.frame(), 224
- is.finite(), 140
- is.infinite(), 182
- is.matrix(), 223, 224

- is.na(), 27, 28, 182, 228
- is.nan(), 182
- is.vector(), 223
- ISOdate(), 23
- jitter(), 61, 146
- jpeg(), 153
- kappa2(), 54
- KernSur(), 128
- knit(), 172
- knit2html(), 8
- knitr package, *see* library(knitr)
- knots(), 125
- ks.test(), 57, 64
- kurtosis(), 52, 59
- lab option, 151
- labels option, 13, 127, 143
- labs(), 77
- lag(), 17
- lambda option, 95
- lapply(), 209, 228
- lars package, *see* library(lars)
- lars(), 102
- las option, 151
- lattice package, *see* library(lattice)
- lawstat package, *see* library(lawstat)
- layer(), 145
- layer_points(), 204
- layout option, 114
- layout(), 129, 135, 149
- layout.show(), 149
- lda(), 100, 120
- legend option, 148, 190
- legend(), 42, 65, 77, 139, 148, 190, 198
- length option, 147, 161
- length(), 4, 17, 18, 20, 35, 40, 48, 83, 99, 100, 120, 168, 188, 191, 192, 197
- less than operator, 221
- level.colors(), 142
- levelplot(), 143
- levels option, 68, 76
- levene.test(), 57
- library(), 229, 231, 236
- library(aRxiv), 202
- library(biglm), 69
- library(boot), 182
- library(BRugs), 174
- library(car), 98
- library(choroplethr), 205, 206
- library(chron), 23
- library(circular), 131
- library(coda), 174, 174, 176
- library(coefplot), 67
- library(coin), 57, 64
- library(devtools), 230
- library(dispmo), 91
- library(doBy), 167
- library(dplyr), 13, 19–21, 23, 25, 25, 27–29, 31, 68, 76, 81, 82, 84, 87, 111, 141, 167, 168, 193, 198, 200, 202, 205, 206, 208, 219, 220, 228
- library(ellipse), 142, 143
- library(elfm), 92
- library(epitools), 53, 62, 151
- library(exactRankTests), 57
- library(factorplot), 71, 87
- library(flexmix), 186
- library(foreach), 161, 228
- library(foreign), 2, 3, 8, 26, 76
- library(gam), 94, 109
- library(gdata), 2
- library(gee), 97, 115
- library(GenKern), 128
- library(GGally), 129, 141
- library(ggmap), 130, 193
- library(ggplot2), 13, 77, 123, 146, 193
- library(ggvis), 204
- library(gmodels), 29, 55, 61, 70, 71, 88
- library(grid), 123, 126, 148
- library(gridExtra), 63, 131
- library(gtools), 37
- library(hexbin), 128
- library(Hmisc), 35, 51, 157, 183, 229
- library(Hotelling), 98
- library(httr), 196, 200
- library(hwriter), 8
- library(irr), 54
- library(knitr), 8, 171, 172
- library(lars), 102
- library(lattice), 77, 114, 123–126, 135, 143, 145, 146, 149, 209
- library(lawstat), 57
- library(lme4), 97, 116, 156, 157
- library(lmmfit), 96
- library(lmtest), 73
- library(lpSolve), 210
- library(lubridate), 23, 197, 202, 219
- library(magrittr), 228

- library(maps), 192
- library(markdown), 171
- library(MASS), 35, 53, 83, 91–93, 95, 100, 107, 108, 120, 169
- library(Matching), 180
- library(Matrix), 39
- library(MCMCpack), 174, 176
- library(memisc), 14, 28, 84
- library(mice), 184
- library(mitools), 185
- library(mix), 185
- library(moments), 52, 59
- library(mosaic), 20, 27, 31, 33, 38, 43, 51, 52, 55, 57, 59, 71, 74, 75, 81, 82, 88, 112, 124, 131, 132, 161, 163, 165, 168, 198
- library(MplusAutomation), 101
- library(muhaz), 133
- library(multcomp), 71
- library(multilevel), 100, 117
- library(nlme), 96, 97, 102, 112, 113, 169
- library(nnet), 91
- library(nortest), 56
- library(packrat), 231
- library(parallel), 228
- library(partykit), 100, 119
- library(plotrix), 148
- library(plyr), 169, 228
- library(poLCA), 101
- library(prettyR), 8, 55
- library(pscl), 93, 94, 106
- library(pwr), 58
- library(QuantPsyc), 73
- library(quantreg), 95, 107
- library(R2jags), 174
- library(R2WinBUGS), 174
- library(randomLCA), 101
- library(RCurl), 197
- library(repmis), 6
- library(rjags), 174
- library(RJSONIO), 6
- library(RMongo), 19
- library(rms), 91
- library(RMySQL), 19, 208
- library(ROCR), 54, 123, 132, 138
- library(RODBC), 19
- library(rpart), 100, 119
- library(RSPerl), 18
- library(RSQLite), 19, 207
- library(rtf), 152
- library(runjags), 174
- library(sas7bdat), 3
- library(scatterplot3d), 130
- library(sciplot), 127
- library(shiny), 205–207
- library(simPH), 98
- library(sqldf), 19
- library(stringr), 15, 16, 111, 202
- library(survey), 101
- library(survival), 58, 66, 91, 98, 99, 117, 133, 137, 158
- library(swirl), 217
- library(tidyr), 21, 25, 111, 219
- library(tm), 202
- library(tmvtnorm), 36
- library(vcd), 56, 103, 106
- library(VGAM), 33, 93, 108
- library(vioplot), 125
- library(WriteXLS), 8
- library(XML), 6, 9, 198
- library(Zelig), 230
- license(), 215
- lines(), 42, 60, 65, 77, 83, 127, 133, 134, 140, 145–147, 161, 190, 198
- link option, 91, 157
- list(), 35, 48, 68, 77, 85, 93, 103, 114, 141, 200, 222
- list.files(), 50
- lm object, 72, 80, 102, 226
- lm(), 11, 67, 69, 77, 83, 87, 140, 168, 177–179
 - by grouping variable, 168
- lm.beta(), 73
- lm.ridge(), 95
- lme object, 102
- lme(), 96, 97, 113, 170
- lme4 package, *see* library(lme4)
- lmtest package, *see* library(lmtest)
- lo(), 94, 109
- load(), 1, 104
- loadhistory(), 49
- locator(), 148
- loess(), 146
- log option, 152
- log(), 36, 99
- log10(), 36
- log2(), 36
- logical expressions, 13, 14
- logical operator, 221
- logLik(), 85, 102
- loglin(), 93
- loglm(), 93

- lower.panel option, 141
- lowess(), 77, 127, 134, 146
- lpSolve package, *see* library(lpSolve)
- lrm(), 91
- ls(), 226
- lty option, 77, 132, 133, 139, 148, 151, 161, 190
- lubridate package, *see* library(lubridate)
- lwd option, 65, 77, 111, 132, 134, 139, 151, 161, 190
- magrittr package, *see* library(magrittr)
- main option, 124, 147
- makeFun(), 71, 131
- mantelhaen.test(), 56
- map_data(), 130, 193
- mapply(), 126, 228
- maps package, *see* library(maps)
- mar option, 82, 150
- margin option, 30
- markdown package, *see* library(markdown)
- markdowntoHTML(), 171
- MASS package, *see* library(MASS)
- Match(), 180, 181
- match(), 16
- MatchBalance(), 180
- Matching package, *see* library(Matching)
- matplot(), 132
- Matrix package, *see* library(Matrix)
- matrix(), 35, 39, 40, 83, 157, 162, 168, 169, 188, 223
- max(), 35, 36, 51, 60, 82, 99, 139, 192, 209
- maximum option, 39
- mcmc option, 174
- MCMCbinaryChange(), 175
- MCMCdynamicEI(), 175
- MCMCdynamicIRT1d(), 175
- MCMCfactanal(), 175
- MCMChierEI(), 175
- MCMCirt1d(), 175
- MCMCirtHier1d(), 175
- MCMCirtKd(), 175
- MCMCirtKdHet(), 175
- MCMCirtKdRob(), 175
- MCMClogit(), 174, 175, 176
- MCMCmetrop1R(), 175
- MCMCmixfactanal(), 175
- MCMCmnl(), 175
- MCMCoprobit(), 175
- MCMCordfactanal(), 175
- MCMCpack package, *see* library(MCMCpack)
- MCMCpoisson(), 174, 175, 176
- MCMCpoissonChange(), 175
- MCMCprobit(), 175
- MCMCquantreg(), 175
- MCMCregress(), 174, 175
- MCMCSVDreg(), 175
- MCMCtobit(), 175
- mcnemar.test(), 56
- mean(), 31, 36, 51, 52, 59, 133, 147, 158, 168, 188, 215, 227, 228
- mean.POSIXct(), 217
- median(), 51, 59
- memisc package, *see* library(memisc)
- merge(), 23, 193
- message(), 47
- method option, 98, 100, 101, 117, 119, 121, 158
- methods(), 226
- methods(plot), 127
- mfc col option, 82, 149
- mfrow option, 73, 82, 149
- mice package, *see* library(mice)
- mice(), 184
- min(), 36, 51, 60, 82, 126, 160, 192
- missing(), 126
- mitools package, *see* library(mitools)
- mix package, *see* library(mix)
- mode(), 226
- model.matrix(), 75
- ^ operator, 36
- moments package, *see* library(moments)
- months(), 24
- mosaic package, *see* library(mosaic)
- mosaicplot(), 131
- mplot, 81, 82
- mplot(), 74, 88
- MplusAutomation package, *see* library(MplusAutomation)
- mtext(), 127, 129, 134, 135, 151
- mu option, 161
- muhaz package, *see* library(muhaz)
- muhaz(), 133
- multcomp package, *see* library(multcomp)
- multilevel package, *see* library(multilevel)
- multinom(), 91

- mutate(), 13, 20, 21, 28, 68, 76, 81, 84, 87, 108, 111, 193, 198, 202, 205, 206, 208, 228
- mvrnorm(), 35, 169
- NA, 17
- na.action option, 112, 182
- na.action(), 182
- na.exclude(), 182
- na.fail(), 182
- na.omit(), 182
- na.pattern(), 183
- na.rm option, 182
- na.strings option, 182, 183
- names option, 125
- names(), 13, 20, 25, 64, 66, 80, 191, 198, 226
- nchar(), 15, 196
- ncol option, 188
- ncol(), 35
- negative.binomial(), 91
- next statement, 217
- nlm(), 38, 39
- nlme object, 102
- nlme package, *see* library(nlme)
- nls object, 102
- nls(), 94
- nnet package, *see* library(nnet)
- no-intercept operator, 69
- nortest package, *see* library(nortest)
- not operator, 182, 222
- notch option, 85, 125
- nrow option, 188
- nrow(), 20
- nrows option, 1
- ntiles(), 52
- NULL, 148
- num_range(), 19
- numeric operator, 222
- numeric(), 28, 45, 99, 160, 191
- numericInput(), 205
- nx option, 148
- ny option, 148
- objects(), 226
- oddsratio(), 53
- oddsratio.fisher(), 62
- oma option, 150
- omd option, 150
- omi option, 150
- on.exit(), 139
- one_of(), 19
- oneway_test(), 57, 64
- opacity option, 204
- opendoor(), 164
- optim(), 38, 39
- optimize(), 38, 39
- options(), 183, 187, 226
 - contrasts, 68
 - digits to display, 7, 25
 - na.action, 182
 - restore previous values, 141
 - scientific notation, 12
 - show.signif.stars, 67, 77
- or operator, 16, 18, 222
- order option, 98
- order(), 22, 187, 188
- ordered(), 68, 92
- origin option, 197
- p.adjust(), 71
- package option, 236
- packageVersion(), 231
- packrat package, *see* library(packrat)
- pairs(), 129, 139, 141
- palap(), 33
- panel option, 136, 143
- panel.barchart(), 126
- panel.corrgram(), 142
- panel.hist(), 139
- panel.lm(), 140
- panel.lmbands(), 74, 132
- panel.polygon(), 142
- panel.smooth(), 141
- par
 - mfrow, 149
- par(), 73, 129, 135, 139, 147, 149, 150
 - mfrow, 82
- par.settings option, 114
- partykit package, *see* library(partykit)
- paste(), 4, 7, 15, 42, 65, 124, 140, 198, 227
- pbeta(), 33
- pbetabin(), 33
- pbetabinom(), 33
- pbetanorm(), 33
- pbinom(), 33
- pcauchy(), 33
- pch, 140
- pch option, 76, 127, 128, 145, 198
- pchisq(), 33, 85, 93, 103
- pdf(), 150, 152

- pdfeval(), 161
- performance(), 54, 132, 138
- permutations(), 37
- persp(), 130
- pexp(), 33
- pf(), 33
- pgamma(), 33
- pgeom(), 33
- phyper(), 33
- pi, 37
- pinv.gaussian(), 33
- pipe operator, 111, 228
- plnorm(), 33
- plogis(), 33
- plot option, 139
- plot(), 42, 61, 65, 77, 125, 127, 129, 132, 133, 134, 135, 145, 150, 152, 190, 198
- plot.circular(), 131
- plot.lda(), 122
- plot.lm(), 73, 82, 127
- plot.mcmc(), 177
- plot.new(), 63
- plot.performance(), 132
- plot.survfit(), 133, 139
- plotdens(), 65
- plotDist(), 43
- plotFun(), 38, 131, 132
- plotrix package, *see* library(plotrix)
- plottwoy(), 127, 134, 135
- pmax(), 165
- pmin(), 158, 209
- pnbinom(), 33
- png(), 153
- pnorm(), 33, 147
- points(), 77, 127, 134, 140, 145, 146, 198
- poisson option, 105
- poLCA package, *see* library(poLCA)
- poLCA(), 101
- polr(), 92, 108
- poly(), 94
- polygon(), 65, 148, 192
- pool(), 185
- position option, 149
- postscript(), 152
- power.prop.test(), 58
- power.t.test(), 58
- ppois(), 33
- predict(), 71, 72, 74, 75, 115, 132
- prediction(), 54, 132, 138
- prettyNum(), 7
- prettyR package, *see* library(prettyR)
- print(), 12, 66, 80, 226
- print.cutoffs option, 140
- print.survfit(), 137
- printtcp(), 100, 119
- prior option, 100, 120
- prob option, 160
- proc.time(), 49
- prod(), 51
- prop.c option, 30
- prop.chisq option, 30
- prop.t option, 30
- prop.test(), 53, 170
- pscl package, *see* library(pscl)
- pt(), 33, 70, 71
- punif(), 33
- pweibull(), 33
- pwr package, *see* library(pwr)
- q(), 214, 215
- qalap(), 33
- qbeta(), 33
- qbetabin(), 33
- qbetabinom(), 33
- qbetanorm(), 33
- qbinom(), 33
- qcauchy(), 33
- qchisq(), 33
- qexp(), 33
- qf(), 33
- qgamma(), 33
- qgeom(), 33
- qhyper(), 33
- qlnorm(), 33
- qlogis(), 33
- qnbinom(), 33
- qnorm(), 33
- qplot(), 146
- qpois(), 33
- qqline(), 131
- qqnorm(), 131
- qt(), 33, 48, 52
- quantile(), 52, 60, 103
- QuantPsync package, *see* library(QuantPsync)
- quantreg package, *see* library(quantreg)
- quarter(), 24
- quietly, 142
- qunif(), 33
- qweibull(), 33

- R.Version(), 224
- R2jags package, *see* library(R2jags)
- R2WinBUGS package, *see*
library(R2WinBUGS)
- radioButtons(), 205
- ralap(), 33
- random option, 113
- random.effects(), 96, 115
- randomLCA package, *see*
library(randomLCA)
- ranef(), 96
- range(), 51, 59, 127, 134, 192
- rate option, 161
- rbeta(), 33
- rbetabin(), 33
- rbetabinom(), 33
- rbetanorm(), 33
- rbind(), 22, 39
- rbinom(), 33
- rcauchy(), 33, 189
- rchisq(), 33
- RCurl package, *see* library(RCurl)
- Re(), 38
- read.csv(), 2, 5, 25, 31, 59, 176, 177,
183, 194, 204, 215
- read.dbf(), 3
- read.dta(), 3, 76
- read.epiinfo(), 3
- read.fwf(), 2
- read.mtp(), 3
- read.octave(), 3
- read.sas7bdat(), 3
- read.spss(), 3
- read.ssd(), 3
- read.systat(), 3
- read.table(), 1, 3, 6, 182, 191
- read.xls(), 2
- read.xport(), 3
- readBin(), 5
- readHTMLTable(), 6, 198
- readLines(), 2, 4, 6, 191, 196, 197
- rect(), 139, 148
- regexpr(), 16
- relist(), 222
- removeNumbers(), 203
- removePunctuation(), 203
- removeWords(), 203
- rename(), 13
- renderPlot(), 205, 206
- reorder_factor(), 68
- rep(), 18, 35, 46, 75, 83, 156, 167, 169,
176, 197, 224
- repeat statement, 45, 217
- replace option, 164
- replicate(), 163, 182
- require(), 142, 229, 230, 236
- resample(), 20
- reshape package, *see* library(reshape)
- reshape(), 31
- residuals(), 72, 81
- residuals.glm(), 72
- residuals.lm(), 72
- return(), 4, 18, 35, 39, 48, 99, 103, 160,
164, 188
- rev(), 65
- rexp(), 33, 36, 165
- rf(), 33
- rgamma(), 33
- rgeom(), 33
- rho, 58
- rhyper(), 33
- right option, 13
- rinv.gaussian(), 33
- riskratio(), 53
- rjags package, *see* library(rjags)
- rlm(), 95
- rlnorm(), 33
- rlogis(), 33
- rm(), 3, 13, 120, 157, 221
- RMongo package, *see* library(RMongo)
- rms package, *see* library(rms)
- rMultinom(), 35, 157
- rmultnorm(), 35
- RMySQL package, *see* library(RMySQL)
- rnbinom(), 33
- rnorm(), 33, 35, 45, 156, 158, 160, 187
- ROCR package, *see* library(ROCR)
- RODBC package, *see* library(RODBC)
- rootogram(), 103
- rotation option, 100, 118
- round(), 7, 37, 63, 65, 140, 142, 170, 188
- rowMeans(), 51, 55, 217
- rownames(), 18, 168, 205
- rows option, 74
- rowSums(), 51, 55
- rpart package, *see* library(rpart)
- rpart(), 100, 119
- rpois(), 33
- Rprof(), 47
- rq(), 95, 107
- RSiteSearch(), 217

- RSQLite package, *see* library(RSQLite)
- rsquared(), 75
- rstandard(), 72, 82, 83
- rstudent(), 72
- rt(), 33, 189
- rtf package, *see* library(rtf)
- RTF(), 152
- rtmnorm(), 36
- rug(), 61, 147
- runApp(), 207
- runave(), 189
- runif(), 33, 34, 36, 155, 156
- runjags package, *see* library(runjags)
- rweibull(), 33, 158

- s(), 94
- sample(), 20, 155, 156, 160, 163, 164
- sapply(), 4, 11, 202, 228
- sas7bdat package, *see* library(sas7bdat)
- save(), 8, 26
- savehistory(), 49
- scale option, 124, 158, 199
- scale(), 52
- scale_fill_brewer(), 130
- scale_fill_grey(), 195
- scales option, 143
- scan(), 2, 182
- scatterhist(), 129, 135
- scatterplot3d package, *see* library(scatterplot3d)
- scatterplot3d(), 130
- sciplot package, *see* library(sciplot)
- scores option, 100, 118
- sd(), 36, 48, 51, 52, 59, 83, 147
- se option, 111
- search(), 224
- select option, 19
- select(), 19, 25, 27, 29, 111, 198, 208, 228
- selectInput(), 205, 206
- sep option, 15, 227
- separate(), 111
- seq(), 42, 46, 52, 60, 75, 83, 85, 95, 103, 131, 140, 142, 214
- seq_along(), 45
- sequence operator, 20
- sessionInfo(), 224, 231
- set.seed(), 34, 161, 189
- setdiff(), 16
- setequal(), 16
- setNames(), 18
- setwd(), 50

- shape option, 146, 158
- shapiro.test(), 56
- shell(), 49
- shiny package, *see* library(shiny)
- shinyApp(), 206
- shinyUI(), 206
- show.settings(), 137
- show.signif.stars option, 67, 77, 104
- showNonASCII(), 5
- showNonASCIIfile(), 5
- shuffle(), 20, 57
- side option, 61, 127, 147
- signif(), 37
- simPH package, *see* library(simPH)
- sin(), 37
- sink(), 2, 50
- size option, 5, 204
- skewness(), 52, 59
- slice(), 19
- sliderInput(), 205
- slot(), 54, 138
- smoothScatter(), 128
- solve(), 40, 71
- sort option, 100, 118
- sort(), 22, 27
- source(), 172, 215
- source_DropboxData(), 6
- spin(), 172
- split.screen(), 149
- spread(), 21, 111
- sprintf(), 7
- sqldf package, *see* library(sqldf)
- SQLiteConnection, 69
- sqrt(), 36, 52, 70, 71, 74, 116, 156, 157
- src_sqlite(), 208
- srt option, 147
- ssl.verifypeer option, 197
- stack option, 131
- stack(), 39
- Stangle(), 172
- start option, 98
- starts_with(), 19
- stat_smooth(), 77
- stdin(), 2
- stem(), 124, 199
- stop(), 35, 47
- stop_for_status(), 200
- stopifnot(), 47
- stopwords(), 203
- str(), 11, 25, 198
- str_split(), 202

- stringsAsFactors option, 2, 198
- strip.custom(), 114
- strip.levels option, 114
- strip.names option, 114
- stripWhitespace(), 203
- stroke option, 204
- strsplit(), 17, 191, 196
- strwrap(), 202
- sub option, 147
- sub(), 17, 111
- submitButton(), 205
- subset option, 83, 141
- subset(), 19, 98, 207
- substitute(), 46
- substr(), 3, 15, 24, 196, 201
- subtraction operator, 24
- sum(), 27, 28, 51, 53, 62, 103, 163, 209, 221
- summarise(), 168, 208, 228
- summary(), 11, 25, 67, 70, 74, 75, 78, 81, 102, 177, 226
- summary.aov(), 67, 78, 86
- summary.lm(), 67, 226
- summary.lme(), 170
- summary.survfit(), 137
- suppressWarnings(), 196
- supsmu(), 146
- Surv(), 58, 66, 98, 99, 117, 133, 158
- survdiff(), 58, 66
- survey package, *see* library(survey)
- survfit(), 99, 133, 137
- survival package, *see* library(survival)
- svd(), 35, 41
- svydesign(), 101
- svyglm(), 101
- svytotal(), 101
- swapdoor(), 164
- Sweave(), 171
- sweep(), 35, 52
- swirl package, *see* library(swirl)
- swirl(), 217
- switch(), 45
- symnum(), 7
- Sys.glob(), 50
- Sys.sleep(), 49
- Sys.time(), 23, 24, 34
- system(), 49
- system.time(), 49
- t(), 6, 35, 40, 75
- t.test(), 52, 56, 57, 64, 161, 165
- table(), 53, 55, 120, 131, 158, 163, 182, 202
- tail(), 12
- tally(), 27, 30, 55, 112, 161
- tan(), 37
- tapply(), 31, 85, 167, 228
- tau option, 95, 107
- tbl(), 208
- tck option, 151
- tcl option, 151
- tempfile(), 50
- terms option, 111
- test option, 91
- testPerl(), 8
- text(), 61, 140, 147, 192
- text.adj option, 140
- textConnection(), 6, 197
- textInput(), 205
- theme option, 136
- theme(), 77
- tidyr package, *see* library(tidyr)
- tiff(), 153
- timestamp(), 49
- title(), 114, 139, 140, 147, 190
- tm package, *see* library(tm)
- tm_map(), 203
- tmvtnorm package, *see* library(tmvtnorm)
- to option, 140, 147, 161
- tolower(), 17
- toupper(), 17
- trace(), 47
- tracemem(), 47
- transform(), 30, 68, 70
- trellis.par.set(), 136
- TRUE, 16, 221
- trunc(), 37
- try(), 47
- ts(), 98
- tsdiag(), 98
- tsplot(), 98
- TukeyHSD(), 71, 87
- type option, 61, 115, 127, 190
- type option(), 77
- typeof(), 13, 15, 48, 226
- tz option, 197
- uniform(), 36
- union(), 16, 23
- unique(), 16, 20, 83, 100, 120, 168, 192
- uniroot(), 39

- units(), 231
- unlink(), 50
- unlist(), 222
- unnamed function, 169
- unstack(), 39
- update(), 69
- update.packages(), 229, 231
- upper.panel option, 141
- url(), 6, 59
- use option, 101, 121
- useNA option, 55

- v option, 145
- vapply(), 228
- var(), 51, 59
- var.test(), 56, 57
- VarCorr(), 96, 115
- varimax(), 100, 118
- varwidth option, 85, 125
- vcd package, *see* library(vcd)
- VCorpus(), 202
- vcov(), 70, 71, 74–76, 81
- VGAM package, *see* library(VGAM)
- vglm(), 93, 108
- View(), 12
- vioplot package, *see* library(vioplot)
- vioplot(), 125

- weekdays(), 24, 208
- weighted.mean(), 217
- weights option, 112
- which option, 73, 74
- which(), 27, 99
- which.min(), 27, 188
- while statement, 45, 160, 196, 217
- width option, 149
- wilcox.test(), 57, 64
- with(), 11, 13, 22, 27, 61, 77, 93, 98, 183, 198, 202, 214, 224
- within(), 11, 13, 224
- wmf(), 153
- workspace, 226
- write.csv(), 8, 26
- write.dbf(), 2, 8
- write.dta(), 8
- write.foreign(), 8, 26
- write.table(), 8
- WriteXLS package, *see* library(WriteXLS)
- WriteXLS(), 8
- wtd.mean(), 51
- wtd.quantile(), 51
- wtd.rank(), 51
- wtd.var(), 51

- xaxp option, 151
- xaxis option, 151
- xaxt option, 152
- xchisq.test(), 55
- xlab option, 61, 127, 134, 147, 151
- xlim option, 151, 190
- XML package, *see* library(XML)
- xmlRoot(), 6
- xmlSApply(), 6
- xmlTreeParse(), 6
- xmlValue(), 6
- xname option, 134
- xor(), 222
- xpnorm(), 33, 43
- xtab(), 55
- xtable package, *see* library(xtable)
- xtable(), 80
- xtabs(), 103, 167
- xyplot(), 77, 132, 146, 209

- yaxp option, 151
- yaxis option, 151
- yaxt option, 152
- year(), 202
- ylab option, 61, 147, 151
- ylim option, 77, 151

- Zelig package, *see* library(Zelig)
- zeroinfl(), 93, 94, 106